Verpackungs-material & Oberflächen-schutznetze

Caplugs Verpackungsmaterial und Oberflächenschutznetze sind perfekt geeignet, um Ihre Bauteile vor Beschädigung oder Verschmutzung zu schützen. Kunststoffröhrchen, Schutznetze und Behälter sind in einer großen Anzahl von Größen, Ausführungen und Farben erhältlich. Die Produkte sind für jeden Einsatzbereich in der Industrie und im Konsumenten Verpackungsbereich geeignet.

packaging & netting

Caplugs packaging and netting products are designed to protect parts from contaminants and impact damage. Our plastic tubing, netting and containers are available in a wide variety of sizes, styles and colors. These products are ideal for industrial and consumer packaging, and can also be used as finished packaging solutions.

Zur besseren Erkennung können Rohre und Behältnisse mit Logos, Instruktionen und Informationen beschriftet werden.

SW Series

Standard-Duty Sleeve-Web® Netting



SW Series standard-duty Sleeve-Web® netting [approximately .070" (1.78 mm) thick] provides low-cost protection against physical damage to exterior surfaces of machined, ground, polished, plated, coated or threaded cylindrical parts. Its elasticity ensures a snug fit and a nonslip grip on straight-sided parts or those with varying contours.

Material: Low-Density Polyethylene **Color:** See chart

Note: Samples are cut to 1 foot.



Standard-Duty Sleeve-Web Netting SW Series

Caplugs No.	Dimensions		Color	Packaging			
	To Fit O.D.	To Fit O.D.		Standard Coil		Mini Coil	
	In	mm		Feet	meters	Feet	meters
SW-03	1/4 to 3/8	6.35 - 9.53	Orange	3500	1066	700	213
SW-04	3/8 to 3/4	9.53 - 19.05	Green	3000	914	600	180
SW-05	1/2 to 1	12.70 - 25.40	Blue	2750	840	550	170
SW-10	1 to 1-1/2	25.40 - 38.10	Red	1700	520	340	100
SW-15	1-1/2 to 2	38.10 - 50.80	Black	900	270	180	55
SW-20	2 to 2-1/2	50.80 - 63.50	White	800	240	160	50
SW-25	2-1/2 to 3	63.50 - 76.20	Yellow	600	180	120	35
SW-30	3 to 4	76.20 - 101.60	Green	450	140	90	30
SW-40	4 to 5	101.60 - 127.00	Orange	350	110	70	20
SW-50	5 to 6-1/4	127.00 - 158.75	Natural	250	80	50	15.2
SW-64	6-1/4 to 7-1/2	158.76 - 190.51	Blue	250	80	50	15.2
SW-75	7-1/2 to 9	190.51 - 228.61	Red	200	60	40	12.2
SW-90	9 to 10	228.61 - 254.01	Yellow	200	60	40	12.2

SW Series

Light-Duty Sleeve-Web® Netting

SW Series light-duty Sleeve-Web® netting [approximately .060" (1.52 mm) thick] protects lighter parts. Ideal for irregular-shaped products, it stretches easily to twice its diameter, while its elastic properties allow it to pull tightly around smaller sections. Inexpensive, attractive, and easily applied wrapping for long, narrow items such as wires, glass rods, tubing and rolled paper.

Material: Low-Density Polyethylene **Color:** See chart

Note: Samples are cut to 1 foot.



Light-Duty Sleeve-Web Netting SW Series

Caplugs No.	Dimensions		Color	Packaging			
	To Fit O.D.	To Fit O.D.		Standard Coil		Mini Coil	
	In	mm		Feet	meters	Feet	meters
SW-075-22	3/4 to 2	19.05 - 50.80	Yellow	1500	460	300	90
SW-125-22	1-1/4 to 3	31.75 - 76.20	Blue	1000	300	200	60
SW-200-22	2 to 4	50.80 - 101.60	Red	800	240	160	50
SW-400-22	4 to 8	101.60 - 203.21	Blue	600	180	120	35
SW-600-22	6 to 12	152.40 - 304.80	Natural	200	60	40	12.2

SW Series

Heavy-Duty Sleeve-Web® Netting



SW Series heavy-duty Sleeve-Web® netting [approximately .080" (2.03 mm) thick] has a thicker extrusion, more strands, and closer spacing. It offers an extra measure of protection for valuable precision components like heavy duty truck parts, screw cylinders, spline shafts, couplings, roller bearing assemblies, pistons, and heavy threaded fittings. Eliminates high cost, time-consuming labor associated with traditional protective wrappings like paper, cardboard, styrofoam or wood.

Material: Low-Density Polyethylene **Color:** See chart

Note: Samples are cut to 1 foot.



Heavy-Duty Sleeve-Web Netting SW Series

Caplugs No.	Dimensions		Color	Packaging			
	To Fit O.D.	To Fit O.D.		Standard Coil		Mini Coil	
	In	mm		Feet	meters	Feet	meters
SW-050-66	1/2	12.70	White	2000	610	400	120
SW-075-66	3/4	19.05	Orange	1500	460	300	90
SW-100-66	1	25.40	Black	1200	370	240	75
SW-125-66	1-1/4	31.75	Green	1000	300	200	60
SW-150-66	1-1/2	38.10	Yellow	800	240	160	50
SW-175-66	1-3/4	44.45	Grey	600	180	120	35
SW-200-66	2	50.80	Blue	500	150	100	30
SW-250-66	2-1/2	63.50	Red	500	150	100	30
SW-300-66	3	76.20	Natural	450	135	90	27

SWI Series

Standard-Duty Sleeve-Web® with Rust Inhibitor



SWI Series Sleeve-Web® is enhanced with a vapor phase corrosion preventative material that acts to form a molecular layer of protection on metal surfaces insulating them from corrosion causing factors such as air, humidity, salt, etc. It provides the same protection against physical damage to exterior surfaces of machined, polished, plated, coated or threaded metal parts as our SWI Series Sleeve-Web® web thinkness is approximately .070" (1.78mm).

- Provides protection for up to six months
- Cost effective solution for applications facing difficult environments
- Higher quality resulting in fewer rejections, less rework and scrap
- Reduced packaging waste and shipping expenses

Material: Low-Density Polyethylene w/ corrosion inhibitor
Color: Natural

Note: Samples are cut to 1 foot.

Standard-Duty Sleeve-Web® with Rust Inhibitor SWI Series

Caplugs No.	Dimensions		Packaging			
	To Fit O.D.	To Fit O.D.	Standard Coil		Mini Coil	
	in	mm	Feet	meters	Feet	meters
SWI-03	1/4 to 3/8	6.35 - 9.53	3500	1066	700	213
SWI-04	3/8 to 3/4	9.53 - 19.05	3000	914	600	180
SWI-05	1/2 to 1	12.70 - 25.40	2750	840	550	170
SWI-10	1 to 1 1/2	25.40 - 38.10	1700	520	340	100
SWI-15	1 1/2 to 2	38.10 - 50.80	900	270	180	55
SWI-20	2 to 2 1/2	50.80 - 63.50	800	240	160	50
SWI-25	2 1/2 to 3	63.50 - 76.20	600	180	120	35
SWI-30	3 to 4	76.20 - 101.60	450	140	90	30
SWI-40	4 to 5	101.60 - 127.00	350	110	70	20
SWI-50	5 to 6 1/4	127.00 - 158.75	250	80	50	15.2
SWI-64	6 1/4 to 7 1/2	158.76 - 190.51	250	80	50	15.2
SWI-75	7 1/2 to 9	190.51 - 228.61	200	60	40	12.2
SWI-90	9 to 10	228.61 - 254.01	200	60	40	12.2

PMW Series

Flat Sheet Netting

PMW Series flat sheet netting provides excellent protection from impact or abrasion damage. Use as a separator for stacked parts during storage, handling and shipment or as protective wrap for bulky items. Unlike wood, styrofoam or cardboard, it will not deteriorate on contact with solvents, coatings, slushing oils or rust inhibitors.

Material: Low-Density Polyethylene **Color:** See chart

Note: Samples are cut to 1 foot.

Flat Sheet Netting PMW Series

Caplugs No.	Color	Mesh Thickness		Strands		Coil Size	
		In	mm	Per inch	Per cm	In x Ft	cm x m
PMW-7007-18	Yellow	.07	1.78	7	2.8	18 x 125	45.7cm x 38.1m
PMW-7005-20	Blue	.07	1.78	5	2.0	20 x 150	50.8cm x 45.6m
PMW-7004-24	Red	.07	1.78	4	1.6	24 x 125	61.0cm x 38.1m

CBW Series

Cut Bottle-Web Netting

CBW Series cut bottle-web netting is a tough, yet flexible netting that provides surface and impact protection for bottles of any size or shape. Since the netting is extruded rather than woven, the strands will not separate, weaken or spread unevenly. Its diamond mesh design allows for production in a wide range of strength, stretch, and elasticity requirements to satisfy all protection needs.

Material: Low-Density Polyethylene
Colors: Black, Red, Green

Note: Samples are cut to 1 foot.



† CBW-4293-7.0 offered in optional color clear

Cut Bottle-Web Netting CBW Series

Caplugs No.	Dimensions				Packaging	
	To Fit O.D.		Length		Carton Quantity	Mini Pak Quantity
	In	mm	In	mm		
CBW-4293-7.0†	3 to 5	76.20 - 127.00	7	177.80	400	n/a
CBW-4293-10.0	3 to 5	76.20 - 127.00	10	254.00	275	n/a

CSW Series

Cut Sleeve-Web® Netting

CSW Series Sleeve-Web® netting provides low-cost protection against physical damage on cylinders such as unsightly scratches and minimizes rust build-up for less maintenance and longer life. This series also secures DOT mandated precautionary labels, preventing damage, tearing or accidental removal during handling.

Material: Low-Density Polyethylene
Color: See chart

Note: Samples are pre-cut to length.

Cut Sleeve-Web® Netting CSW Series

Caplugs No.	Color	Dimensions				Packaging	
		Fits Cylinder Diameter		Length		Carton Quantity	Mini Pak Quantity
		In	mm	In	mm		
CSW-4271-36	Natural	9	225.61	36	914.40	40	n/a
CSW-4265-6	Natural	9	225.61	6	152.40	210	50
CSW-4279-6	Natural	12-1/2	317.51	6	152.40	250	50
CSW-4281-25	Blue	7	177.81	25	635.00	50	n/a
CSW-4241-17	Green	7 - 9	177.80 - 228.60	17.5	444.50	100	n/a

TRC Series

Standard Wall Closed-End Tubing

TRC Series ClearView™ plastic tubing is designed with a clear closed end. It is available in a variety of lengths to meet your packaging needs.

• Variety of caps and plugs for top available

Material: PETG **Color:** Natural

Note: Samples are available only in 6" lengths
Note: "A" dimension is the inside diameter
Note: Cut to desired length up to 18"



Caplugs No.	Dimensions				Packaging
	A		B		Carton Quantity
	In	mm	In	mm	
TRC-500-012	.548	13.92	.012	.30	Call Customer Service
TRC-625-014	.714	18.14	.014	.36	Call Customer Service
TRC-750-015	.808	20.52	.015	.38	Call Customer Service
TRC-875-017	.942	23.93	.017	.43	Call Customer Service
TRC-937-017	1.026	26.06	.017	.43	Call Customer Service
TRC-1000-017	1.097	27.86	.017	.43	Call Customer Service
TRC-1125-018	1.211	30.76	.018	.46	Call Customer Service
TRC-1187-018	1.273	32.59	.018	.46	Call Customer Service
TRC-1250-018	1.363	34.62	.018	.46	Call Customer Service
TRC-1375-018	1.438	36.53	.018	.46	Call Customer Service
TRC-1500-018	1.644	41.76	.018	.46	Call Customer Service
TRC-1625-020	1.710	43.43	.020	.51	Call Customer Service
TRC-1750-020	1.820	46.23	.020	.51	Call Customer Service
TRC-1875-020	1.960	49.78	.020	.51	Call Customer Service
TRC-2000-020	2.070	52.58	.020	.51	Call Customer Service
TRC-2250-020	2.320	58.93	.020	.51	Call Customer Service
TRC-2500-020	2.570	65.28	.020	.51	Call Customer Service
TRC-2625-020	2.710	68.83	.020	.51	Call Customer Service
TRC-2750-020	2.790	70.87	.020	.51	Call Customer Service
TRC-3000-025	3.085	78.36	.025	.64	Call Customer Service
TRC-3500-025	3.570	90.68	.025	.64	Call Customer Service

Standard Wall Closed-End Tubing TRC Series

Caps for ClearView® Standard Wall Tubes

Tube Size	VC Style Cap	VHC Style Cap	VHR Style Cap	VSE Style Cap	EC Style Cap	EP Style Cap	RC Style Cap	SC Style Cap
TRC 500	VC 562	VHC 531	None	VSE 531	EC 9	None	None	SC 9/16
TRC 625	VC 750	None	VHR 750	VSE 750	EC 12	None	RC 12	SC 3/4
TRC 750	VC 812	VHC 812	VHR 875	VSE 796	EC 14	None	None	SC 7/8
TRC 875	VC 937	None	None	VSE 937	EC 16	None	RC 16	SC 1
TRC 937	VC 1062	VHC 1062	None	VSE 1062	None	None	None	SC 1 1/16
TRC 1000	VC 1125	VHC 1062	None	VSE 1125	None	None	None	SC 1 1/8
TRC 1125	VC 1250	None	None	None	EC 20	None	None	SC 1 1/4
TRC 1187	VC-1250	None	None	None	None	None	None	SC 1 5/16
TRC 1250	VC 1375	VHC 1375	None	VSE 1313	None	EP 24	None	None
TRC 1375	VC 1437	VHC 1437	None	None	EC 24	None	None	SC 1 1/2
TRC 1500	VC 1625	VHC 1625	None	VSE 1625	None	None	RC 27	None
TRC 1625	VC 1687	None	None	None	None	None	None	None
TRC 1750	VC 1875	None	None	None	None	EP 32	RC 30	SC 1 7/8
TRC 1875	VC 2000	VHC 2000	None	None	None	None	None	None
TRC 2000	VC 2125	None	None	VSE 2125	None	EP 36	None	None
TRC 2250	VC 2375	None	None	None	None	EP 40	None	SC 2 3/8
TRC 2500	VC 2625	None	None	None	None	None	None	SC 2 5/8, 1622
TRC 2625	VC 2750	None	None	None	None	None	None	SC 2 3/4
TRC 2750	VC 2875	None	None	None	None	None	None	None
TRC 3000	VC 3125	None	None	None	None	None	None	None
TRC 3500	VC 3625	None	None	None	None	None	None	SC 3 5/8

Plugs for ClearView® Standard Wall Tubes

Tube Size	STP Style Plug	T Style Plug	EC Style Plug	EP Style Plug	RC Style Plug	TE Style Plug
TRC 500	None	T 5S or T 5X	EC 8	None	None	TE 500
TRC 625	None	T 8X	None	EP 12	None	TE 625
TRC 750	None	T 10	None	None	RC 12	TE 750
TRC 875	None	T 12	None	None	None	TE 875
TRC 937	None	T 13A	None	None	None	TE 937
TRC 1000	None	T 13X	None	EP 18	None	TE 1000
TRC 1125	None	T 14	None	None	None	TE 1125
TRC 1187	None	T 14X	None	None	None	TE 1187-HNG
TRC 1250	None	T 16A	None	None	None	TE 1250
TRC 1375	None	T 17A, T 16S	EC 22	None	None	TE 1375
TRC 1500	None	T 18	None	None	None	TE 1500
TRC 1625	None	T 18X	None	EP 28	None	TE 1625
TRC 1750	None	T 19	None	None	None	TE 1750
TRC 1875	None	T 210	None	EP 32	None	TE 1875
TRC 2000	None	T 220	None	None	None	TE 2000
TRC 2250	None	T 25A	None	None	None	TE 2250
TRC 2500	None	T 250	None	None	None	TE 2500
TRC 2625	None	T 44	None	None	None	TE 2625
TRC 2750	STP 2 3/4	None	None	None	None	TE 2750
TRC 3000	None	None	None	None	None	TE 3000
TRC 3500	None	T 1050	None	None	None	TE 3500

TRC Series

Heavy Wall Closed-End Tubing

TRC Series ClearView™ plastic tubing can be specified with a heavy wall for extra protection and durability. Designed with a clear closed end, this part is available in a variety of lengths to meet your packaging needs.

• Variety of caps and plugs for top available

Material: PETG **Color:** Natural

Note: Samples are available only in 6" lengths
Note: "A" dimension is the inside diameter
Note: Cut to desired length up to 18"



Caplugs No.	Dimensions				Packaging
	A		B		Carton Quantity
	In	mm	In	mm	
TRC-500-022	.528	13.41	.022	.56	Call Customer Service
TRC-625-022	.698	17.73	.022	.56	Call Customer Service
TRC-750-022	.794	20.17	.022	.56	Call Customer Service
TRC-875-022	.932	23.67	.022	.56	Call Customer Service
TRC-937-022	1.016	25.81	.022	.56	Call Customer Service
TRC-1000-022	1.087	27.61	.022	.56	Call Customer Service
TRC-1125-022	1.203	30.56	.022	.56	Call Customer Service
TRC-1187-022	1.273	32.33	.025	.64	Call Customer Service
TRC-1250-022	1.355	34.42	.022	.56	Call Customer Service
TRC-1375-022	1.430	36.32	.022	.56	Call Customer Service
TRC-1500-022	1.636	41.55	.022	.56	Call Customer Service
TRC-1625-028	1.694	43.03	.028	.71	Call Customer Service
TRC-1750-028	1.804	45.82	.028	.71	Call Customer Service
TRC-1875-025	1.950	49.53	.025	.64	Call Customer Service
TRC-2000-028	2.054	52.17	.028	.71	Call Customer Service
TRC-2250-028	2.304	58.52	.028	.71	Call Customer Service
TRC-2500-028	2.554	64.87	.028	.71	Call Customer Service
TRC-2625-030	2.690	68.33	.030	.76	Call Customer Service
TRC-2750-028	2.774	70.46	.028	.71	Call Customer Service
TRC-3000-032	3.071	78.00	.032	.81	Call Customer Service
TRC-3500-032	3.556	90.32	.032	.81	Call Customer Service

Heavy Wall Closed-End Tubing TRC Series

Caps for ClearView® Heavy Wall Tubes

Tube Size	VC Style Cap	VHC Style Cap	VSE Style Cap	EC Style Cap	EP Style Cap	RC Style Cap	SC Style Cap
TRC 500	VC 562	VHC 531	VSE 531	EC 9	None	None	SC 9/16
TRC 625	VC 750	VHR 750	VSE 750	EC 12	None	RC 12	SC 3/4
TRC 750	VC 812	VHC 812/VHR 875	VSE 796	EC 14	None	None	SC 7/8
TRC 875	VC 937	None	VSE 937	EC 16	None	RC 16	SC 1
TRC 937	VC 1062	VHC 1062	VSE 1062	None	None	None	SC 1 1/6
TRC 1000	VC 1125	VHC 1062	VSE 1125	None	None	None	SC 1 1/8
TRC 1125	VC 1250	None	None	EC 20	None	None	SC 1 1/4
TRC 1187	VC 1250	None	None	None	None	None	SC 1 5/16-12
TRC 1250	VC 1375	VHC 1375	VSE 1313	None	EP 24	None	None
TRC 1375	VC 1437	VHC 1437	None	EC 24	None	None	SC 1 1/2
TRC 1500	VC 1625	VHC 1625	VSE 1625	None	None	RC 27	SC 1 3/4
TRC 1625	VC 1687	None	None	None	None	None	None
TRC 1750	VC 1875	None	None	None	EP 32	RC 30	SC 1 7/8
TRC 1875	VC 2000	VHC 2000	None	None	None	None	None
TRC 2000	VC 2125	None	VSE 2125	None	EP 36	None	None
TRC 2250	VC 2375	None	None	None	EP 40	None	SC 2 3/8
TRC 2500	VC 2625	None	None	None	None	None	SC 2 5/8, 1622
TRC 2625	VC 2750	None	None	None	None	None	SC 2 3/4
TRC 2750	VC 2875	None	None	None	None	None	None
TRC 3000	VC 3125	None	None	None	None	None	None
TRC 3500	VC 3625	None	None	None	None	None	SC 3 5/8

Plugs for ClearView® Heavy Wall Tubes

Tube Size	STP Style Plug	T Style Plug	EC Style Plug	EP Style Plug	RC Style Plug	TE Style Plug
TRC 500	None	T 5	None	None	None	TE 500
TRC 625	None	T 8	None	None	None	TE 625
TRC 750	None	T 9X	None	None	None	TE 750
TRC 875	None	T 12	None	None	RC 14-12	TE 875
TRC 937	None	T 12X	EC 16	None	None	TE 937
TRC 1000	None	T 13X	None	EP 18	None	TE 1000
TRC 1125	None	T 14	B 8210	None	None	TE 1125
TRC 1187	None	T 14X	None	None	None	TE 1187-HNG
TRC 1250	None	T 15X	None	EP 22	RC 21	TE 1250
TRC 1375	None	T 16	EC 22	None	None	TE 1375
TRC 1500	None	T 18	None	None	None	TE 1500
TRC 1625	None	T 18X (tight)	EC 26	None	RC 26	TE 1625
TRC 1750	None	T 19 (tight)	EC 28	None	None	TE 1750
TRC 1875	None	T 210	None	EP 32	RC 30	TE 1875
TRC 2000	None	T 21 or T 220	None	None	None	TE 2000
TRC 2250	None	T 25A (tight)	EC 36	None	None	TE 2250
TRC 2500	STP 2 1/2	T 250	EC 40	None	RC 40	TE 2500
TRC 2625	None	T 43A	None	None	None	TE 2625
TRC 2750	STP 2 3/4	T 44	None	None	None	TE 2750
TRC 3000	None	T 53	CEC 48	None	None	TE 3000
TRC 3500	None	T 1050	None	None	None	TE 3500

TRO Series

Standard Wall Open-End Tubing

TRO Series ClearView™ standard-duty plastic tubing is open on both ends and is available in both standard duty and heavy wall.

• Available in custom diameters and lengths

Material: PETG **Color:** Natural

Note: Samples are available only in 6" lengths
Note: "A" dimension is the inside diameter



Caplugs No.	Dimensions						Packaging	
	A		B		C		Carton Quantity	Mini Pak Quantity
	In	mm	In	mm	In	mm		
TR0-187-012-48.000	.210	5.33	.012	.30	48.00	1219.20	900	n/a
TR0-250-012-48.000	.299	7.59	.012	.30	48.00	1219.20	500	n/a
TR0-375-012-48.000	.421	10.69	.012	.30	48.00	1219.20	500	n/a
TR0-448-012-48.000	.460	11.68	.012	.30	48.00	1219.20	250	n/a
TR0-500-012-48.000	.548	13.92	.012	.30	48.00	1219.20	300	n/a
TR0-625-014-48.000	.714	18.14	.014	.36	48.00	1219.20	180	n/a
TR0-750-015-48.000	.808	20.52	.015	.38	48.00	1219.20	200	n/a
TR0-875-017-48.000	.942	23.93	.017	.43	48.00	1219.20	100	n/a
TR0-937-017-48.000	1.026	26.06	.017	.43	48.00	1219.20	324	n/a
TR0-1000-017-48.000	1.097	27.86	.017	.43	48.00	1219.20	100	n/a
TR0-1125-018-48.000	1.211	30.76	.018	.46	48.00	1219.20	120	n/a
TR0-1187-020-48.000	1.283	32.59	.020	.51	48.00	1219.20	120	n/a
TR0-1250-018-48.000	1.363	34.62	.018	.46	48.00	1219.20	90	n/a
TR0-1375-018-48.000	1.438	36.53	.018	.46	48.00	1219.20	90	n/a
TR0-1500-018-48.000	1.644	41.76	.018	.46	48.00	1219.20	90	n/a
TR0-1625-020-48.000	1.710	43.43	.020	.51	48.00	1219.20	80	n/a
TR0-1750-020-48.000	1.820	46.23	.020	.51	48.00	1219.20	70	n/a
TR0-1875-020-48.000	1.960	49.78	.020	.51	48.00	1219.20	70	n/a
TR0-2000-020-48.000	2.070	52.58	.020	.51	48.00	1219.20	60	n/a
TR0-2250-020-48.000	2.320	58.93	.020	.51	48.00	1219.20	60	n/a
TR0-2500-020-48.000	2.570	65.28	.020	.51	48.00	1219.20	50	n/a
TR0-2625-020-48.000	2.710	68.83	.020	.51	48.00	1219.20	50	n/a
TR0-2750-020-48.000	2.790	70.87	.020	.51	48.00	1219.20	21	n/a
TR0-3000-025-48.000	3.085	78.36	.025	.64	48.00	1219.20	36	n/a
TR0-3500-025-48.000	3.570	90.68	.025	.64	48.00	1219.20	15	n/a

Standard Wall Open-End Tubing **TRO Series**

Caps for ClearView® Standard Wall Tubes

Tube Size	VC Style Cap	VHC Style Cap	VHR Style Cap	VSE Style Cap	EC Style Cap	EP Style Cap	RC Style Cap	SC Style Cap
TR0 187	VC 234	None	None	None	None	None	None	None
TR0 250	VC 312	None	None	VSE 312	None	None	None	None
TR0 375	VC 437	None	None	VSE 406	None	None	None	SC 7/16-8 (tight)
TR0 448	VC-485	None	None	None	EC-8	None	RC-8	None
TR0 500	VC 562	VHC 531	None	VSE 531	EC 9	None	None	SC 9/16
TR0 625	VC 750	None	VHR 750	VSE 750	EC 12	None	RC 12	SC 3/4
TR0 750	VC 812	VHC 812	VHR 875	VSE 796	EC 14	None	None	SC 7/8
TR0 875	VC 937	None	None	VSE 937	EC 16	None	RC 16	SC 1
TR0 937	VC 1062	VHC 1062	None	VSE 1062	None	None	None	SC 1 11/16
TR0 1000	VC 1125	VHC 1062	None	VSE 1125	None	None	None	SC 1 1/8
TR0 1125	VC 1250	None	None	None	EC 20	None	None	SC 1 1/4
TR0 1187	VC-1250	None	None	None	None	None	None	SC 1 5/16
TR0 1250	VC 1375	VHC 1375	None	VSE 1313	None	EP 24	None	None
TR0 1375	VC 1437	VHC 1437	None	None	EC 24	None	None	SC 1 1/2
TR0 1500	VC 1625	VHC 1625	None	VSE 1625	None	None	RC 27	None
TR0 1625	VC 1687	None	None	None	None	None	None	None
TR0 1750	VC 1875	None	None	None	None	EP 32	RC 30	SC 1 7/8
TR0 1875	VC 2000	VHC 2000	None	None	None	None	None	None
TR0 2000	VC 2125	None	None	VSE 2125	None	EP 36	None	None
TR0 2250	VC 2375	None	None	None	None	EP 40	None	SC 2 3/8
TR0 2500	VC 2625	None	None	None	None	None	None	SC 2 5/8, 1622
TR0 2625	VC 2750	None	None	None	None	None	None	SC 2 3/4
TR0 2750	VC 2875	None	None	None	None	None	None	None
TR0 3000	VC 3125	None	None	None	None	None	None	None
TR0 3500	VC 3625	None	None	None	None	None	None	SC 3 5/8

Plugs for ClearView® Standard Wall Tubes

Tube Size	STP Style Plug	T Style Plug	EC Style Plug	EP Style Plug	RC Style Plug	TE Style Plug
TR0 187	None	T 0	None	None	None	None
TR0 250	None	T1X	EC 4 (tight)	None	None	None
TR0 375	None	T 3	None	None	None	None
TR0 448	None	T4	None	None	None	None
TR0 500	None	T 5S or T 5X	EC 8	None	None	TE 500
TR0 625	None	T 8X	None	EP 12	None	TE 625
TR0 750	None	T 10	None	None	RC 12	TE 750
TR0 875	None	T 12	None	None	None	TE 875
TR0 937	None	T 13A	None	None	None	TE 937
TR0 1000	None	T 13X	None	EP 18	None	TE 1000
TR0 1125	None	T 14	None	None	None	TE 1125
TR0 1187	None	T 14X	None	None	None	TE 1187-HNG
TR0 1250	None	T 16A	None	None	None	TE 1250
TR0 1375	None	T 17A, T 16S	EC 22	None	None	TE 1375
TR0 1500	None	T 18	None	None	None	TE 1500
TR0 1625	None	T 18X	None	EP 28	None	TE 1625
TR0 1750	None	T 19	None	None	None	TE 1750
TR0 1875	None	T 210	None	EP 32	None	TE 1875
TR0 2000	None	T 220	None	None	None	TE 2000
TR0 2250	None	T 25A	None	None	None	TE 2250
TR0 2500	None	T 250	None	None	None	TE 2500
TR0 2625	None	T 44	None	None	None	TE 2625
TR0 2750	STP 2 3/4	None	None	None	None	TE 2750
TR0 3000	None	None	None	None	None	TE 3000
TR0 3500	None	T 1050	None	None	None	TE 3500

TRO Series

Heavy Wall Open-End Tubing

TRO Series ClearView™ heavy wall plastic tubing provides extra protection and durability. A variety of caps and plugs are available to cover open ends.

Material: PETG **Color:** Natural

Note: Samples are available only in 6" lengths
Note: "A" dimension is the inside diameter



Caplugs No.	Dimensions						Packaging	
	A		B		C		Carton Quantity	Mini Pak Quantity
	In	mm	In	mm	In	mm		
TR0-187-020-48.000	.194	4.93	.020	.51	48.00	1219.20	600	n/a
TR0-250-022-48.000	.279	7.09	.022	.56	48.00	1219.20	400	n/a
TR0-375-022-48.000	.401	10.19	.022	.56	48.00	1219.20	250	n/a
TR0-448-022-48.000	.440	11.18	.022	.56	48.00	1219.20	250	n/a
TR0-500-022-48.000	.528	13.41	.022	.56	48.00	1219.20	200	n/a
TR0-625-022-48.000	.698	17.73	.022	.56	48.00	1219.20	150	n/a
TR0-750-022-48.000	.794	20.17	.022	.56	48.00	1219.20	140	n/a
TR0-875-022-48.000	.932	23.67	.022	.56	48.00	1219.20	100	n/a
TR0-937-022-48.000	1.016	25.81	.022	.56	48.00	1219.20	324	n/a
TR0-1000-022-48.000	1.087	27.61	.022	.56	48.00	1219.20	100	n/a
TR0-1125-022-48.000	1.203	30.56	.022	.56	48.00	1219.20	100	n/a
TR0-1187-025-48.000	1.273	32.33	.025	.64	48.00	1219.20	120	n/a
TR0-1250-022-48.000	1.355	34.42	.022	.56	48.00	1219.20	90	n/a
TR0-1375-022-48.000	1.430	36.32	.022	.56	48.00	1219.20	80	n/a
TR0-1500-022-48.000	1.636	41.55	.022	.56	48.00	1219.20	60	n/a
TR0-1625-028-48.000	1.694	43.03	.028	.71	48.00	1219.20	50	n/a
TR0-1750-028-48.000	1.804	45.82	.028	.71	48.00	1219.20	50	n/a
TR0-1875-025-48.000	1.950	49.53	.025	.64	48.00	1219.20	50	n/a
TR0-2000-028-48.000	2.054	52.17	.028	.71	48.00	1219.20	40	n/a
TR0-2250-028-48.000	2.304	58.52	.028	.71	48.00	1219.20	30	n/a
TR0-2500-028-48.000	2.554	64.87	.028	.71	48.00	1219.20	30	n/a
TR0-2610-030-48.000	2.610	66.29	.030	.76	48.00	1219.20	28	n/a
TR0-2625-030-48.000	2.690	68.33	.030	.76	48.00	1219.20	28	n/a
TR0-2670-030-48.000	2.670	67.82	.030	.76	48.00	1219.20	28	n/a
TR0-2730-030-48.000	2.730	69.34	.030	.76	48.00	1219.20	28	n/a
TR0-2750-028-48.000	2.774	70.46	.028	.71	48.00	1219.20	21	n/a
TR0-3000-032-48.000	3.071	78.00	.032	.81	48.00	1219.20	36	n/a
TR0-3500-032-48.000	3.556	90.32	.032	.81	48.00	1219.20	15	n/a
TR0-3580-030-48.000	3.580	90.93	.030	.76	48.00	1219.20	15	n/a
TR0-3640-030-48.000	3.640	92.46	.030	.76	48.00	1219.20	15	n/a
TR0-3700-030-48.000	3.700	93.98	.030	.76	48.00	1219.20	15	n/a

Heavy Wall Open-End Tubing TRO Series

Caps for ClearView® Heavy Wall Tubes

Tube Size	VC Style Cap	VHC Style Cap	VHR Style Cap	VSE Style Cap	EC Style Cap	EP Style Cap	RC Style Cap	SC Style Cap
TRO 187	VC 234	None	None	None	None	None	None	None
TRO 250	VC 312	None	None	VSE 312	EVC-312-650	None	None	None
TRO 375	VC 437	None	None	VSE 406	EVC-437-750	None	None	SC 7/16-8 (tight)
TRO 448	VC-485	None	None	None	EC-8	None	RC-8	None
TRO 500	VC 562	VHC 531	None	VSE 531	EC 9, EVC-562-900	None	None	SC 9/16
TRO 625	VC 750	None	VHR 750	VSE 750	EC 12	None	RC 12	SC 3/4
TRO 750	VC 812	VHC 812	VHR 875	VSE 796	EC 14	None	None	SC 7/8
TRO 875	VC 937	None	None	VSE 937	EC 16	None	RC 16	SC 1
TRO 937	VC 1062	VHC 1062	None	VSE 1062	None	None	None	SC 1 1/6
TRO 1000	VC 1125	VHC 1062	None	VSE 1125	None	None	None	SC 1 1/8
TRO 1125	VC 1250	None	None	None	EC 20	None	None	SC 1 1/4
TRO 1187	VC 1250	None	None	None	None	None	None	SC 1 5/16-12
TRO 1250	VC 1375	VHC 1375	None	VSE 1313	None	EP 24	None	None
TRO 1375	VC 1437	VHC 1437	None	None	EC 24	None	None	SC 1 1/2
TRO 1500	VC 1625	VHC 1625	None	VSE 1625	None	None	RC 27	SC 1 3/4
TRO 1625	VC 1687	None	None	None	None	None	None	None
TRO 1750	VC 1875	None	None	None	None	EP 32	RC 30	SC 1 7/8
TRO 1875	VC 2000	VHC 2000	None	None	None	None	None	None
TRO 2000	VC 2125	None	None	VSE 2125	None	EP 36	None	None
TRO 2250	VC 2375	None	None	None	None	EP 40	None	SC 2 3/8
TRO 2500	VC 2625	None	None	None	None	None	None	SC 2 5/8, 1622
TRO 2625	VC 2750	None	None	None	None	None	None	SC 2 3/4
TRO 2750	VC 2875	None	None	None	None	None	None	None
TRO 3000	VC 3125	None	None	None	None	None	None	STP 3 1/4 as cap
TRO 3500	VC 3625	None	None	None	None	None	None	SC 3 5/8

Plugs for ClearView® Heavy Wall Tubes

Tube Size	STP Style Plug	T Style Plug	EC Style Plug	EP Style Plug	RC Style Plug	TE Style Plug
TRO 187	None	T 00X	K 4	None	None	None
TRO 250	None	T 1	None	None	None	None
TRO 375	None	T 3	None	None	None	None
TRO 448	None	T-3X	PN-2	EZP-152	None	None
TRO 500	None	T 5	None	None	None	TE 500
TRO 625	None	T 8	None	None	None	TE 625
TRO 750	None	T 9X	None	None	None	TE 750
TRO 875	None	T 12	None	None	RC 14-12	TE 875
TRO 937	None	T 12X	EC 16	None	None	TE 937
TRO 1000	None	T 13X	None	EP 18	None	TE 1000
TRO 1125	None	T 14	B 8210	None	None	TE 1125
TRO 1187	None	T 14X	None	None	None	TE 1187-HNG
TRO 1250	None	T 15X	None	EP 22	RC 21	TE 1250
TRO 1375	None	T 16	EC 22	None	None	TE 1375
TRO 1500	B 8798	T 18	None	None	None	TE 1500
TRO 1625	None	T 18X (tight)	EC 26	None	RC 26	TE 1625
TRO 1750	B 8313	T 19 (tight)	EC 28	None	None	TE 1750
TRO 1875	None	T 210	None	EP 32	RC 30	TE 1875
TRO 2000	None	T 21 or T 220	None	None	None	TE 2000
TRO 2250	None	T 25A (tight)	EC 36	None	None	TE 2250
TRO 2500	STP 2 1/2	T 250	EC 40	None	RC 40	TE 2500
TRO 2625	None	T 43A	None	None	None	TE 2625
TRO 2750	STP 2 3/4	T 44	None	None	None	TE 2750
TRO 3000	None	T 53	CEC 48	None	None	TE 3000
TRO 3500	None	T 1050	None	None	None	TE 3500

TSC Series

Square Closed-End Tubing

TSC Series ClearView™ square plastic tubing offers unique packaging and glass-like clarity. These closed-ended tubes make an ideal package for a wide variety of products.

- No side seams
- Clear bottom is sonic welded for a secure seal
- Attractive, reusable packaging solution

Material: PETG **Color:** Natural

Note: "A" dimension is the inside diameter.
Samples are available only in 6" lengths.





VSC Series

Square Closed-End Tubing TSC Series

Caplugs No.	Dimensions				Packaging
	A		B		Carton Quantity
	In	mm	In	mm	
TSC-750-014	.722	18.34	.014	.36	Call Customer Service
TSC-875-016	.843	21.41	.016	.41	Call Customer Service

Caps and Plugs for ClearView® Square Tubes

Tube Size	Wall Thickness	Cap(s) to Fit	Plug(s) to Fit
TSC-750	.01	VSC-750	TSE-750
TSC-875	.01	VSC-875	TSE-875

TSO Series

Square Open End-Tubing



TSO Series ClearView™ plastic tubing offers unique packaging and glass-like clarity. These open-ended tubes make an ideal package for a wide variety of products.

- No side seams
- Open at both ends
- Attractive, reusable packaging solution

Material: PETG **Color:** Natural

Note: "A" dimension is the inside diameter.
Samples are available only in 6" lengths.



VSC Series

Square Open-End Tubing TSO Series

Caplugs No.	Dimensions				Packaging
	A		B		Carton Quantity
	In	mm	In	mm	
TSO-375-012	.375	9.53	0.12	.30	Call Customer Service
TSO-500-012	.500	12.70	.012	.30	Call Customer Service
TSO-750-014	.722	18.34	.014	.36	Call Customer Service
TSO-875-016	.843	21.41	.016	.41	Call Customer Service
TSO-1000-015	1.000	25.40	.015	.38	Call Customer Service
TSO-1250-020	1.210	30.73	.020	.51	Call Customer Service
TSO-1375-015	1.345	34.16	.015	.38	Call Customer Service

Caps and Plugs for ClearView® Square Tubes

Tube Size	Wall Thickness	Cap(s) to Fit	Plug(s) to Fit
TSO-375	.01	VSC-375	None
TSO-500	.01	VSC-500	None
TSO-750	.01	VSC-750	TSE-750
TSO-875	.01	VSC-875	TSE-875
TSO-1000	.01	VSC-100, FP-204	None
TSO-1250	.02	VSC-1250, FP-245	None
TSO-1375	.01	None	SQR-1 1/2-10-14, FP-244 (tight)

CSV Series

Container Square Vial



CSV Series square vials meet a variety of packaging applications and are reusable. They offer good clarity to view contents and the square design prevents rolling and ease of stacking.

- Packaged in sets, including vials and caps
- Easy removal cap
- Printing option for both vial and cap

Material: Polypropylene **Color:** Natural



Container Square Vial CSV Series

Caplugs No.	Dimensions				Packaging	
	A		B		Carton Quantity	Mini Pak Quantity
	In	mm	In	mm		
CSV-3500ASM	.830	21.08	3.58	90.93	1000	n/a
CSV-4000ASM	.830	21.08	4.00	101.60	1000	n/a

Plugs for ClearView® Square Tubes

Caplugs No.	Dimensions			
	A		B	
	In	mm	In	mm
PSV-0875	.860	21.84	0.440	11.18

* Alternative Materialien und Farben sind möglich | Weitere Abmessungen, Preise, Sonderanfertigungen und kostenlose Muster auf Anfrage: STOHRER IPT AG | In den Entenäckern 30 | D 70599 Stuttgart | caplugs@stohrer-ipt.ag | Tel. + 49 711 90071 0 | www.stohrer-ipt.ag

SCP Series

Shipping Cap Protector

SCP Series protectors were developed as a packaging and shipping container cap to protect an exposed NPT fitting. Our wide and semi-rigid pinwheel design increases the surface area in contact with cardboard packaging, and is flexible enough to absorb the force at the point of impact preventing breakthroughs which can ultimately lead to extensive damage.

Material: Low-Density Polyethylene **Color:** Black





Shipping Cap Protector **SCP Series**

Caplugs No.	Press Fit for NPT Size	Dimensions						Packaging	
		A		B		C		Carton Quantity	Mini Pak Quantity
		In	mm	In	mm	In	mm		
SCP-0500	1/2	.809	20.55	2.50	63.50	0.55	13.97	1000	200
SCP-0750	3/4	1.001	25.43	2.75	69.85	0.55	13.97	800	160

TSE Series

Tube Square End Plugs



TSE Series tube square ends were designed to plug TSC Series square tubing. The TSE fits securely into tubing to create attractive and unique packaging.

Material: Low-Density Polyethylene **Color:** Black





Tube Square End Plugs **TSE Series**

Caplugs No.	Dimensions				Carton Quantity
	A		B		
	In	mm	In	mm	
TSE-750	.734	18.65	.44	11.2	5000
TSE-875	.860	21.84	.44	11.2	4000

PKGC Series

Packaging Caps

PKGC Series packaging caps are designed primarily for cardboard mailing and packaging tubes. These caps have molded rings on the interior surface to ensure a snug fit into the tube.

- Fit most standard size tubes
- Ribbed exterior assists in removal

Material: Low-Density Polyethylene **Color:** Orange



Packaging Caps PKGC Series

Caplugs No.	Dimensions								Packaging	
	A		B		C		D		Carton Quantity	Mini Pak Quantity
	In	mm	In	mm	In	mm	In	mm		
PKGC-288-1	.380	9.65	.387	9.83	.37	9.40	.50	12.70	20000	4000
PKGC-288-2	.468	11.89	.474	12.04	.44	11.18	.58	14.73	10000	2000
PKGC-288-3	.603	15.32	.610	15.49	.50	12.70	.73	18.54	7500	1500
PKGC-288-4	.722	18.34	.729	18.52	.56	14.22	.84	21.34	4500	900
PKGC-288-5	.843	21.41	.850	21.59	.60	15.24	.96	24.38	3000	600
PKGC-288-6	1.108	28.14	1.115	28.32	.66	16.76	1.22	30.99	1500	300
PKGC-288-7	1.498	38.05	1.515	38.48	.75	19.05	1.65	41.91	1000	200
PKGC-288-8	1.871	47.52	1.903	48.34	.75	19.05	2.03	51.56	500	100
PKGC-288-9	2.375	60.33	2.387	60.63	.75	19.05	2.52	64.01	900	180

TE-HNG Series

Tube End Hanger Plugs

TE-HNG Series tube end hanger plugs can be used with closed-end tubes for a fun, inexpensive package. The plugs have a step design so they can be pushed into a tube until they click in place to secure the tube's contents. Developed with a large hole at the top to fit a variety of retail fixtures and displays.

Material: Low-Density Polyethylene **Color:** Black



Tube End Hanger Plugs TE-HNG Series

Caplugs No.	Fits Tube Size	Dimensions						Packaging	
		A		B		C		Carton Quantity	Mini Pak Quantity
		In	mm	In	mm	In	mm		
TE-1187-HNG	TRO/TRC-1187	1.304	33.11	1.330	33.77	.380	9.65	3000	300

STP Series

Shallow Tube Plugs for Packaging Tubes

STP Series shallow tube plugs are an ideal closure for packaging, shipping or mailing container tubes. The narrow flange ensures that there is no over-hanging projection to catch on other tubes.

Material: Low-Density Polyethylene **Color:** White



*Anti-roll design

Shallow Tube Plugs for Packaging Tubes STP Series

Caplugs No.	Dimensions										Packaging	
	Nominal Tube I.D.		A		B		C		D		Carton Quantity	Mini Pak Quantity
	In	mm	In	mm	In	mm	In	mm	In	mm		
STP-1-1/2	1.50	38.10	1.520	38.61	1.62	41.15	1.00	25.40	.46	11.68	2500	500
STP-1-3/4	1.75	44.45	1.770	44.96	1.87	47.50	1.00	25.40	.46	11.68	2500	500
STP-2	2.00	50.80	2.025	51.56	2.12	53.85	1.50	38.10	.46	11.68	1000	200
STP-PP-2250	2.25	57.15	2.258	57.35	2.36	59.89	-	-	.43	10.92	2400	480
STP-2-1/2	2.50	63.50	2.530	64.26	2.63	66.80	1.50	38.10	.46	11.68	1000	200
STP-PP-2750	2.75	69.85	2.750	69.85	2.89	73.41	-	-	.43	10.92	1300	260
STP-PP-3	3.00	76.20	3.030	76.96	3.16	80.26	-	-	.48	12.19	1200	240
STP-3-TRI*	3.00	76.20	3.030	76.97	4.17	105.92	2.00	50.80	.50	12.70	400	80
STP-3-1/4	3.25	82.55	3.280	83.32	3.41	86.62	2.00	50.80	.46	11.68	500	100
STP-PP-3500	3.50	88.90	3.505	89.03	3.61	91.57	-	-	.48	12.19	800	220
STP-4	4.00	101.60	4.030	102.87	4.17	105.92	2.00	50.80	.45	11.43	500	100
STP-5	5.00	127.01	5.035	128.02	5.18	131.58	3.00	76.20	.48	12.19	250	50
STP-6	6.00	152.41	6.042	153.42	6.19	157.23	3.50	88.90	.48	12.19	100	20
STP-6-1/16	6.06	153.93	6.105	155.20	6.26	159.01	3.50	88.90	.57	14.48	100	20
STP-PP-8	8.00	203.20	8.025	203.84	8.23	208.92	-	-	.50	12.70	200	40

TE Series

Tube End Plugs

TE Series end plugs are designed for Caplugs' ClearView™ plastic tubing. This series fits securely into tubing, creating attractive, unique packaging. While this series was developed for our tubing, its versatile design makes it ideal for a variety of other packaging applications.

Material: Low-Density Polyethylene **Color:** Black



Tube End Plugs **TE Series**

Caplugs No.	Fits Tube Size	Dimensions						Packaging	
		A		B		C		Carton Quantity	Mini Pak Quantity
		In	mm	In	mm	In	mm		
TE-500	TRO/TRC-500	.553	14.04	.600	15.23	.320	8.12	5000	1000
TE-625	TRO/TRC-625	.719	18.26	.770	19.55	.320	8.12	5000	1000
TE-750	TRO/TRC-750	.813	20.64	.860	21.84	.320	8.12	5000	1000
TE-875	TRO/TRC-875	.949	24.10	1.000	25.39	.320	8.12	5000	1000
TE-937	TRO/TRC-937	1.034	26.25	1.060	26.91	.380	9.65	5000	1000
TE-1000	TRO/TRC-1000	1.105	28.06	1.140	28.94	.380	9.65	5000	1000
TE-1125	TRO/TRC-1125	1.221	31.00	1.270	32.25	.380	9.65	2500	500
TE-1187	TRO/TRC-1187	1.293	32.83	1.350	34.28	.380	9.65	2500	500
TE-1250	TRO/TRC-1250	1.373	34.86	1.420	36.05	.380	9.65	2250	450
TE-1375	TRO/TRC-1375	1.448	36.76	1.500	38.09	.380	9.65	2000	400
TE-1500	TRO/TRC-1500	1.657	42.07	1.720	43.67	.440	11.17	1500	300
TE-1625	TRO/TRC-1625	1.724	43.77	1.780	45.19	.440	11.17	1500	300
TE-1750	TRO/TRC-1750	1.834	46.57	1.890	47.99	.440	11.17	1250	250
TE-1875	TRO/TRC-1875	1.975	50.15	2.080	52.81	.440	11.17	1000	200
TE-2000	TRO/TRC-2000	2.085	52.94	2.190	55.60	.440	11.17	1000	200
TE-2250	TRO/TRC-2250	2.329	59.13	2.440	61.95	.500	12.70	750	150
TE-2500	TRO/TRC-2500	2.580	65.51	2.700	68.55	.500	12.70	650	130
TE-2625	TRO/TRC-2625	2.720	69.06	2.840	72.11	.500	12.70	600	120
TE-2750	TRO/TRC-2750	2.800	71.09	2.920	74.14	.500	12.70	600	120
TE-3000	TRO/TRC-3000	3.095	78.58	3.220	81.76	.500	12.70	500	100
TE-3500	TRO/TRC-3500	3.585	91.02	3.700	93.94	.560	14.22	350	70

TE-TAB Series

Tube End Plugs with Tabs

TE-TAB Series tube end plugs with tabs have been designed for Caplugs' ClearView™ plastic tubing. This series fits securely into tubing with a thumb tab for easy removal. While it was developed for our tubing, its versatile design makes it ideal for a variety of other packaging applications.

Material: Low-Density Polyethylene **Color:** Black



Tube End Plugs with Tabs **TE-TAB Series**

Caplugs No.	Fits Tube Size	Dimensions						Packaging	
		A		B		C		Carton Quantity	Mini Pak Quantity
		In	mm	In	mm	In	mm		
TE-500-TAB	TRO/TRC-500	.553	14.04	.600	15.23	.320	8.12	5000	1000
TE-625-TAB	TRO/TRC-625	.719	18.26	.770	19.55	.320	8.12	5000	1000
TE-750-TAB	TRO/TRC-750	.813	20.64	.860	21.84	.320	8.12	5000	1000
TE-875-TAB	TRO/TRC-875	.949	24.10	1.000	25.39	.320	8.12	5000	1000
TE-937-TAB	TRO/TRC-937	1.034	26.25	1.060	26.91	.380	9.65	5000	1000
TE-1000-TAB	TRO/TRC-1000	1.105	28.06	1.140	28.94	.380	9.65	5000	1000
TE-1125-TAB	TRO/TRC-1125	1.221	31.00	1.270	32.25	.380	9.65	2500	500
TE-1187-TAB	TRO/TRC-1187	1.293	32.83	1.350	34.28	.380	9.65	2500	500
TE-1250-TAB	TRO/TRC-1250	1.373	34.86	1.420	36.05	.380	9.65	2250	450
TE-1375-TAB	TRO/TRC-1375	1.448	36.76	1.500	38.09	.380	9.65	2000	400
TE-1500-TAB	TRO/TRC-1500	1.657	42.07	1.720	43.67	.440	11.17	1500	300
TE-1625-TAB	TRO/TRC-1625	1.724	43.77	1.780	45.19	.440	11.17	1500	300
TE-1750-TAB	TRO/TRC-1750	1.834	46.57	1.890	47.99	.440	11.17	1250	250
TE-1875-TAB	TRO/TRC-1875	1.975	50.15	2.080	52.81	.440	11.17	1000	200
TE-2000-TAB	TRO/TRC-2000	2.085	52.94	2.190	55.60	.440	11.17	1000	200
TE-2250-TAB	TRO/TRC-2250	2.329	59.13	2.440	61.95	.500	12.70	750	150
TE-2500-TAB	TRO/TRC-2500	2.580	65.51	2.700	68.55	.500	12.70	650	130
TE-2625-TAB	TRO/TRC-2625	2.720	69.06	2.840	72.11	.500	12.70	600	120
TE-2750-TAB	TRO/TRC-2750	2.800	71.09	2.920	74.14	.500	12.70	600	120
TE-3000-TAB	TRO/TRC-3000	3.095	78.58	3.220	81.76	.500	12.70	500	100
TE-3500-TAB	TRO/TRC-3500	3.585	91.02	3.700	93.94	.560	14.22	350	70

VHC Series

Vinyl Hanger Caps

VHC Series vinyl hanger caps are ideal for tools and packaging solutions that need to be hung. These caps provide a tight fit to prevent them from falling off. VHC Series works well with TRC and TRO ClearView™ tubing.

Material: Vinyl **Color:** Black
Optional Colors: White, Brown, Orange, Red, Green, Gray, Blue, Yellow

Note: VHC Series is available in lengths up to 1.5".



Vinyl Hanger Caps VHC Series

Caplugs No.	Dimensions				Packaging	
	A		B		Carton Quantity	Mini Pak Quantity
	In	mm	In	mm		
VHC-531-16	.531	13.49	1.000	25.40	2500	500
VHC-812-16	.812	20.62	1.000	25.40	1500	300
VHC-1062-16	1.062	26.97	1.000	25.40	1200	240
VHC-1375-16	1.375	34.93	1.000	25.40	1000	200
VHC-1437-16	1.437	36.49	1.000	25.40	750	150
VHC-1500-16	1.500	38.10	1.000	25.40	750	150
VHC-1625-16	1.625	41.28	1.000	25.40	750	150
VHC-2000-16	2.000	50.80	1.000	25.40	600	120
VHC-2500-16	2.500	63.50	1.000	25.40	500	100
VHC-3000-16	3.000	76.20	1.000	25.40	250	50

VHR Series

Vinyl Hanger Tips (Round)



VHR Series vinyl hanger tips are round with a hanger tip that sits to the side, allowing parts to hang smoothly. Designed for tools that need to be hung, these caps provide a snug fit to avoid detaching. VHR Series work well with TRC and TRO Series ClearView™ tubing.

Material: Vinyl **Color:** Black
Optional Colors: White, Brown, Orange, Red, Green, Gray, Blue, Yellow

Note: VHR Series is available in lengths up to 2".



Vinyl Hanger Tips (Round) VHR Series

Caplugs No.	Dimensions				Packaging	
	A		B		Carton Quantity	Mini Pak Quantity
	In	mm	In	mm		
VHR-625-8	.625	15.87	.500	12.70	2500	500
VHR-750-12	.750	19.05	.750	19.05	2000	400
VHR-875-12	.875	22.22	.750	19.05	1000	200
VHR-950-12	.950	24.13	.750	19.05	500	n/a
VHR-950-24	.950	24.13	1.500	38.10	500	100

VSE Series

Vinyl Square End Caps

VSE Series vinyl square end caps are used to close the ends of clear tubing. This series is equipped with a square head to prevent rolling during shipment. Its square design also allows containers to stand upright.

Material: Vinyl **Color:** Black
Optional Colors: White, Brown, Orange, Red, Green, Gray, Blue, Yellow

Note: VSE-312 Series is available in lengths up to 2".



Vinyl Square End Caps VSE Series

Caplugs No.	Dimensions						Packaging	
	A		B		C		Carton Quantity	Mini Pak Quantity
	In	mm	In	mm	In	mm		
VSE-312-8	.312	7.92	.040	1.02	.500	12.70	5000	1000
VSE-406-8	.406	10.31	.040	1.02	.500	12.70	5000	1000
VSE-531-8	.531	13.48	.040	1.02	.500	12.70	4000	800
VSE-625-8	.625	15.88	.050	1.27	.500	12.70	1500	300
VSE-687-8	.687	17.44	.050	1.27	.500	12.70	2500	500
VSE-750-12	.750	19.05	.050	1.27	.750	19.05	1500	300
VSE-796-12	.796	20.21	.050	1.27	.750	19.05	1500	300
VSE-812-12	.812	20.62	.050	1.27	.750	19.05	1000	200
VSE-937-16	.937	23.80	.050	1.27	1.000	25.40	1000	200
VSE-1000-16	1.000	25.40	.060	1.52	1.000	25.40	1000	200
VSE-1062-16	1.062	26.97	.060	1.52	1.000	25.40	900	180
VSE-1125-16	1.125	28.57	.060	1.52	1.000	25.40	750	150
VSE-1313-16	1.313	33.35	.060	1.52	1.000	25.40	500	100
VSE-1375-16	1.375	34.93	.060	1.52	1.000	25.40	600	120
VSE-1625-24	1.625	41.28	.060	1.52	1.500	38.10	400	80
VSE-2125-24	2.125	53.98	.070	1.78	1.500	38.10	200	40
VSE-2500-24	2.500	63.50	.070	1.78	1.500	38.10	250	50

CVC Series

Hinged Containers

CVC Series hinged containers are equipped with a tethered top for constant protection. These containers are ideal for packaging everything from fishing lures to cosmetics, offering the end-user a reusable case to store their product.

- Available in a variety of colors

Material: Polypropylene **Color:** Natural



Hinged Containers CVC Series

Caplugs No.	Dimensions				Packaging	
	A		B		Carton Quantity	Mini Pak Quantity
	In	mm	In	mm		
CVC-1.00-2-HL	.83	21.1	1.43	36.3	1350	270
CVC-1.00-1-1/2-HL	.84	21.2	1.43	36.3	3000	600
CVC-1.25-2-1/2-HL	1.03	26.2	2.41	61.2	1300	260
CVC-1.25-1/2-HL	1.09	27.8	.51	13.0	2500	500
CVC-1.50-1/2-HL	1.47	37.3	.52	13.2	2500	500
CVC-1.50-1-1/2-HL	1.46	37.1	1.43	36.3	1000	200
CVC-1.50-2-1/2-HL	1.45	36.8	2.40	61.0	700	140
CVC-2.00-1/2-TC	1.81	46.0	.49	12.5	500	100
CVC-2.00-1-HL	1.93	49.0	.85	21.6	1000	200
CVC-2.00-3-1/4-HL	1.90	48.3	3.12	79.3	300	60

CVV Series

Vials

CVV Series vials are ideal for a wide range of packaging applications. These vials provide a unique packaging alternative that offers the end-user a reusable container. This series is packaged in sets which include both vials and caps.

- Pad printing available
- Available in a variety of translucent and opaque colors

Material: Polypropylene **Color:** Natural



Vials CVV Series

Caplugs No.	DRAM Size	Fluid Oz.	Dimensions								Packaging	
			A		B		C		D		Carton Quantity	Mini Pak Quantity
			In	mm	In	mm	In	mm	In	mm		
CVV-35ASM	3.5	.44	.975	24.77	.830	21.08	1.400	35.56	1.520	38.61	1500	300
CVV-50ASM	5	.63	.966	24.54	.830	21.08	2.000	50.80	2.120	53.85	1500	300
CVV-70ASM	7	.88	1.116	28.35	.980	24.89	2.050	52.07	2.170	55.12	900	180
CVV-90ASM	9	1.13	1.116	28.35	.980	24.89	2.610	66.29	2.730	69.34	900	180
CVV-120ASM	12	1.50	1.308	33.22	1.160	29.46	2.650	67.31	2.760	70.10	550	110
CVV-150ASM	15	1.88	1.300	33.02	1.160	29.46	3.270	83.06	3.380	85.85	550	110
CVV-200ASM	20	2.50	1.668	42.37	1.520	38.61	2.730	69.34	2.850	72.39	350	70
CVV-250ASM	25	3.13	1.671	42.44	1.520	38.61	3.260	82.80	3.390	86.11	350	70
CVV-400ASM	40	5.00	2.039	51.79	1.890	48.01	3.230	82.04	3.350	85.09	175	35
CVV-500ASM	50	6.25	2.026	51.46	1.890	48.01	4.200	106.68	4.320	109.73	175	35

Cap Dimensions

Caplugs No.	A		B		C	
	In	mm	In	mm	In	mm
CVV-35ASM & CVV-50ASM	.920	23.37	1.090	27.69	.210	5.33
CVV-70ASM & CVV-90ASM	1.080	27.43	1.240	31.50	.210	5.33
CVV-120ASM & CVV-150ASM	1.250	31.75	1.420	36.07	.210	5.33
CVV-200ASM & CVV-250ASM	1.605	40.77	1.780	45.21	.210	5.33
CVV-400ASM & CVV-500ASM	1.980	50.29	2.150	54.61	.210	5.33